

RENTAL GENERATOR RANGE

POWER GENERATORS AND LIGHTING TOWERS




GENERATORS AND LIGHTING TOWERS.

Generating confidence.

When it comes to rental generators, we understand that you need to have confidence in your power solution. You need to be confident that your power source is as reliable, efficient and high performance as it can be. And you need to have confidence that you're well supported to deliver power anywhere it's needed.

The new JCB rental generator range offers you all this and more. Each generator boasts all the quality you'd expect from JCB, including innovative, efficient design, cutting edge engine technology and market-leading telemetry. These British-built generators are also backed by unrivalled service and support all over the world, as well as comprehensive warranty cover.

So you can be sure of generating power – and confidence – wherever you operate.












GENERATORS AND LIGHTING TOWERS

JCB rental generators tick every box...

- ROBUST AND DURABLE
- EFFICIENT AND HIGH PERFORMANCE
- EASY TO USE
- QUICK AND EASY TO MAINTAIN
- REMOTE MACHINE MANAGEMENT
- UNRIVALLED AFTERCARE SUPPORT















GENERATORS									
Rental Generators		GI9RS	G30RS – G40RS	G60RS – G125RS	G150RS – G300RS	G400RS – G500RS	G1000RS	G1000RS Q (Low noise version)	G1250RS
Type – Open, Canopy, Container		Canopy	Canopy	Canopy	Canopy	Canopy	Container	Container	Container
Engine make		Yanmar*	Mitsubishi*	JCB DIESELMAX*	John Deere*	Volvo*	Cummins	Cummins	Cummins
Prime power (PRP) at 50Hz 400v	kVA	19	30 - 40	60 - 125	150 - 300	500	1000	1000	1250
Length	m	1.95	2.27	3.33	3.8 - 4.12	4.53 - 4.83	6.06	6.06	6.06
Width	m	0.84	0.95	1.1	1.27 - 1.61	1.55	2.46	2.46	2.46
Height	m	1.42	1.5	1.76	2.03 - 2.2	2.23 - 2.33	2.6	2.9	2.6
Weight inc. oil and water	kg	855	1065	2400	3000 - 3850	5400 - 5990	14600	16150	17200

BATTERY BOXES					
Model		B40	B80		
Туре		I ph Battery Box	3ph Battery Box		
Voltage		230	400		
Frequency	Hz	50	50		
Continuous power output at 25°	kVA	7.3	30		
Peak power output at 25°	kVA	20	60		
Length	m	1.52	2.6		
Width	m	0.82	1.02		
Height	m	1.1	1.92		

INTELI-HYBRID GENERATORS					
	G65QSi – G116QSi				
	Canpoy				
	JCB*				
Hz	63 - 105				
kVA	71 - 116				
m	2.75 - 2.85				
m	1.14				
m	2.23				
kg	3300				
	kVA m m				

LIGHTING TOWERS						
Model		LT9	LT9 LED			
Lights		4 x 1000W Metal Halide	6 x 240W LED			
Engine make		Yanmar	Yanmar			
Prime power (PRP) at 50Hz 230v	kVA	6.4	6.4			
Length	m	2.33	2.33			
Width	m	2.45	2.45			
Height	m	9.00	9.00			

^{*}Stage IIIA engines available.


LIVELINK KNOWLEDGE IS POWER.

JCB LIVELINK PUTS THE POWER IN YOUR HANDS. REVOLUTIONISE THE WAY YOU MONITOR AND MANAGE YOUR POWER GENERATORS TO MAXIMISE PRODUCTIVITY, DECREASE RUNNING COSTS AND INCREASE EFFICIENCY.

Data and insight

Keep the productivity high to keep the power on with JCB LiveLink. Real-time information keeps you in complete control to let you monitor and manage your power generators remotely via a PC or Smartphone.





Monitor and manage

The most up-to-date information about how your generators are performing or where they are located becomes even more critical when it comes to making the right decisions. The more knowledge you have to generate uptime, the better value for money your generator delivers.



G115GS

Optimised

Fleet Management

Whether you have one generator or an entire fleet, LiveLink can provide a powerful reporting tool to deliver higher machine availability, improved fleet control and enhanced machine value, accessed via an online portal.



VALUE ADDED.

JCB'S WORLDWIDE CUSTOMER SUPPORT IS FIRST CLASS. WHATEVER YOU NEED AND WHEREVER YOU ARE, WE'LL BE AVAILABLE QUICKLY AND EFFICIENTLY TO HELP MAKE SURE YOUR MACHINERY IS PERFORMING TO ITS FULL POTENTIAL.





- 1 Our Technical Support Service provides instant access to factory expertise, day or night, while our Finance and Insurance teams are always on hand to provide fast, flexible, competitive quotes.
- The global network of JCB Parts Centres is another model of efficiency; with 16 regional bases, we can deliver around 95% of all parts anywhere in the world within 24 hours. Our genuine JCB parts are designed to work in perfect harmony with your machine for optimum performance and productivity.



G JCB Assetcare offers comprehensive extended warranties and service agreements, as well as service-only or repair and maintenance contracts. Irrespective of what you opt for, our maintenance teams around the world charge competitive labour rates, and offer non-obligation quotations as well as fast, efficient insurance repair work.







Your nearest JCB dealer

RENTAL GENERATOR RANGE

POWER GENERATORS AND LIGHTING TOWERS

JCB Power Products, Hixon, Staffordshire, United Kingdom ST18 0PF Tel: +44 (0)1889 272200 Email: mailto:generator.sales@jcb.com

Download the very latest information on this product range at: www.jcb.com/en-gb/products/generators

©2009 JCB Sales. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying or otherwise, without prior permission from JCB Sales. All references in this publication to operating weights, sizes, capacities and other performance measurements are provided for guidance only and may vary dependant upon the exact specification of machine. They should not therefore be relied upon in relation to suitability for a particular application. Guidance and advice should always be sought from your JCB Dealer. JCB reserves the right to change specifications without notice. Illustrations and specifications shown may include optional equipment and accessories. All images are correct at time of print. The JCB logo is a registered trademark of J C Barnford Excavators Ltd.







9999/6021 en-GB 07/17 Issue I